CURRICULUM VITAE

MOHAMMAD ISHTEAQUE



CELL NO: **+97455841812** EMAIL ID: mdishteaque86@gmail.com APPLIYING FOR THE POST OF "**TEAM LEADER / SR ELECTRICAL TECHNICIAN**"

TOTAL EXEPERIENCE : 13 YEARS

CAREER OBJECTIVE

Want to pursue a career in an organization, which offers challenging opportunities. I wish to work on challenging assignment so as to avail company of my capacities and to grow with the company for my personal of professional satisfaction

JOB RESPONSIBILITIES:

13 Years of Experience in Constructation & Maintenance of Bullding Entire Electrical System, highresTower & Gas Power Plants Sector, and Hands on System. I had worked in large size of highres Tower (Dubai, Abu dhabi, Muscat Oman & Qatar) Maintenance Fire Alram and Electrical Running Work. I had worked in

SNC . LAVALIN, BECHTEL, KENTECH, VOLTAS & EVH JV, & and as an "ELECTRICAL EQUIMENTE FITTER LEAD HAND"

SUMMARY

Dedicated Fire Alarm Technician who is able to do installation maintenance and repair work. Adept at diagnosing and solving a problem working with customers to solve alarm issues and helping customers to understand their fire alarm systems. Specializes in residential and small business installations.

HSE TRAINING :

- 1. SAFETYINDUCTION
- 2. H2S AWARENESS AND ESCAPE.
- 3. GAS TESTER
- 4. FIRE EXTINGUESHER
- 5. INDUSTRIAL FIRST AID
- 6. PERMIT HOLDER

PASSPORT DETIALS

Passport No Date of Issue Date of Expiry Place of Issue : W8110091 (ECNR)

- : 23.11.2022 : 22.11.2032
 - 22.11.2052
- : DOHA

TOTAL EXEPREINCE

: 13 YEARS

	EXPERIECNE IN ABOR	AD	; 13 YEAR
•	Present employer	:	SNC. LAVALIN
	Position	:	SR ELECTRICAL TECHNICIAN
	Duration of work	:	31 .12.2018 to TILL DATE
٠	Worksite & place		SABAN TOWER , THE PEARL QATAR
	Position	:	ELECTRICAL EQUIMENT FITTER LEAD HAND
	Duration of work	:	08.04.2016 to 08.04.2018
	Worksite & place	:	OMAN INTERNATINAL AIRPORT, MUSCAT
•	Present employer	:	KENTECH INTERNATIONAL LTD
	Position	:	ELECTRICAL TECHNICIAN
	Duration of work	:	12.06.2012 to 30.05.2014
	Worksite & place	:	NGL 4 GASCO, RUWAISE, ABU DHABI
•	Present employer	:	CONTROL & APPLICATION EMIRATES
	Position	:	ELECTRICAL TECHNICIAN
	Duration of work	:	05.04.2008 to 29.03.2012
	Worksite & place	:	Ruwaise Refinery Expansion 3 Project, Abu Dhabi
•	Present employer	:	VOLTAS LTD
	Position	:	Electrician
	Duration of work	:	15.02.2005 to 24.02.2008
	Worksite & place	:	BURJ KHALIFA TOWER, Dubai

PERSONAL DETIALS

<u>reksonal de Hals</u>	
Designation	: TEAM LEADER / SR ELECTRICAL TECHNICIAN
Name	: Mohammad Ishteaque
Father's name	: Mohammad Fahimuddin
Date of Birth	: 12/May/1980
Nationality	: Indian
Religion	: Islam (Muslim)
Languages Know	: English, Arabic, Urdu & Hindi
Mobile No.	: +97455841812/ + 9170703064

NATURE OF WORK

Pre-Testing & Commissioning. Continuity testing, Cables magger, all types device Trouble testing, tray installed, conduits installed, cables termination, Pvc & GI Conduits installed, cables pulling, all types of Electrical devices installation and Connection, lighting fixture, Experience in project activities from "Concept to Commissioning and start up" and troubleshooting activities in all the areas of electrical & instrumentation of the Commercial building areas aptitude to work in multi-discipline team environment, self-starter with verbal & written communication skills:-I have Good Experience of All types of fire alarm and public address system For Honeywell Product small power devices, Building services, House wiring, Fire Systems, lighting poles installation, hvac, plumbing, mechanical work, cable laying, Glanding & termination.

<u>All Types of MV, LV & ELV Electrical and Maintenance work ETC</u> <u>EDUCATIONAL</u> <u>BACKGROUND</u>

- S.S.C (Secondary School Certificate) Passed First Division.
- ITI Technical Education Govt.of Bihar
- Knowledge of Computer Software (MS-Office, Excel, Power Point, Photoshop

MOHAMMAD ISHTEAQUE

DATE: PLACE: QATAR

SIGNATURE

Nain Contract 3 (MC3) Works for Development of Muscat International Airport Administration Policy- Attachment C-Experience Letter (English)

Document No: SE-BEJ-03HR-FRM-0008-Rev0 Rev Date:06.06. 2011 Page 7 of 20



Date: 08/04/2018

Project: MC3, Development of Muscat International Airport**Subject**: Experience Letter

Dear Sir/Madam,

Mr./Ms. **MOHAMMAD ISHTEAQUE**, a national of INDIA, holding a passport with number L 4956435 had worked in our company between 08/04/2016 and 08/04/2018 as ELECTRIC EQUIPMENT FITTER LEAD HAND.


This letter has been issued upon his/her request.

Sincerely, Bechtel & Co. LLC and Enka & Co. LLC Joint Venture (BEJV)

Bechtel & Co LLC and Enka & Co LLC (C.R. No: 1793101) (C.R. No: 1099039 Joint Venture - Muscat Airport Project - MC3

Irfan Aliyev Administration Manager

Bechtel & Co. LLC and Enka & Co. LLC Joint Venture (BEJV) PO.Box: 10 PC: 105 Building No. 474, Flat No. 21-A 18 November Street, Al Azaiba North Muscat, Sultanate of Oman







In recognition of his hard work and commitment to Health and safety **Development of Muscat International Airport** BECHTEL ENKA BEC CONSORTIUM ATE OF APPRECIATIO

This certification is awarded to:

Mohammad Ishteaque

ID No 387856 Fire Alarm Technician Lead Hand

Muscat, Sultanate of Oman April 2018

Rolando Felizardo Lead T&C Engineer BEB Consortium Development of Muscat International Airport







Date: 30-MAY-2014

Service Certificate (To Whom It May Concern)

This is to certify that **Mr**. MOHAMMAD ISHTEAQUE (Emp. No. 17528) INDIAN National holding Passport No. L4956435 has worked in our Organization from 25-JUL-2012 to 30-MAY-2014 as ELECTRICAL TECHNICIAN at our Projects in UAE.

We wish him all the success in his future endeavours.

This certificate is issued upon his request.



Wajdi Jabr

Regional Human Resources Manager

KENTECH INTERNATIONAL LIMITED, ABU DHABI BRANCH.

P.O. Box 60756, Al Reem Island, Sky Tower, Office 1305, Abu Dhabi, UAE T. +9712 6171800 / F. +9712 6171801 / E. abudhabi@kentechie / www.kentechie Pearstration No. 1005066





كونترول أند إبليكشنز الإمارات Control & Applications Emirates



29/03/2012

<u>Whomsoever it may concern</u>

This is to certify that **Mr. Mohammad Ishteaque** (E008021), holder of Indian Passport No. E-4432504 has worked with us as an **Electrical Technician** with our company from **05/04/2008** to **29/03/2012** our **Ruwais Refinery Expansion-3 Project, Abu Dhabi.**

During his tenure we found him hard working, result oriented and loyal to the company.

We wish him best of luck for his future endeavours.

This letter is issued on employee request.

For Control & Applications Emirates

E #01/1801 APPU APPU P.O. Box: 368

Balram Nanda HR Manager



TO WHOMSOEVER IT MAY CONCERN

This is to certify that Mr. Mohd. Ishteaque (DL 633) Holder of Indian Passport No. E4432504 has worked in this organisation from 15th Feb , 2005 to 24th Feb, 2008 as **Asst. Electrician**.

For VOLTAS LIMITED

V C Shaju Dy General Manager – HR (IOBG)

Place : Dubai

Date : 4th Mar, 2008



International Operations Business Group (Formerly Voltas International Limited) Standard Chartered Bank Building, 5th Floor, Al Mankhool Street, Bur Dubai, Post Box 29384 Dubai U A E Tel 00971 4 3557995 Fax 00971 4 3556805 e-mail : vldxb@emirates.net.ae Regd Office Voltas House A Dr. Babasaheb Ambedkar Road Mumbai 400 033 India A TATA Enterprise

KALLAGADADAY
VICUNALISATIONY
ANDER
ANDE



EMIRATES TRADING AGENCY - VOLTAS - HITACHI PLANT JV

P.O. Box: 5239, Dubai, U.A.E, Site Tel: 04-3216627, Site Fax: 04-3216519

Date: 24.02.2008

Hitachi Plant

TO WHOM IT MAY CONCERN

This is to certify **Mohammad Ishteaque** has worked as an **Electrician** at "**THE BURJ TOWER**", site the world tallest building located in Dubai, United Arab Emirates., between 5ht February 2007 to 24th February 2008

During his service in this project he has been Hard working, Diligent in performing his duty and has maintained cordial relationship with superiors and other staff.

We wish him all success in his future assignment.

241 THOMAS JEROME (Manager - Administration)

(A Joint venture for Burj Dubai Development – The Burj Tower Package S - 01 : MEP Works)



VOLTAS LIMITED JUMEIRAH BEACH RESIDENCE - 04 DUBAI

CERTIFICATE OF SAFETY PERFORMANCE

MD. ISHTEAQUE ELECTRICIAN (DL 633) TOWER CO1 B2

CONGRATULATIONS FOR THE JOB WELL DONE AND KEEP UP THE GOOD WORK, ALWAYS THINK AND WORK SAFELY.

Safety Manager

Dupta

Construction In Charge

Safety Officer



Date: 20/08/2006

क्रम संख्या SERIAL NO. NCT (C-II) No. 98832 भारत सरकार GOVERNMENT OF INDIA श्रम संचालय MINISTRY OF LABOUR राष्ट्रीय वृत्तिक व्यवसाय प्रशिक्षण परिषद् NATIONAL COUNCIL FOR TRAINING IN VOCATIONAL TRADES राष्ट्रीय व्यावसायिक प्रमाण-पत्र NATIONAL TRADE CERTIFICATE श्री / श्रीमती / कुमरी - मों & इति लयाब सुपुत्र / पत्नी / सुपुत्री / श्री - मों & पाहीम ख द्वीन् का सो दी जिल पुरिश द्वारा संस्थान, पान कांद्र (किंहार) में प्राराक्षण पूरा करने और पुलाई सन् उन्नीस सौ निर्छ भार पुलाई सन् उन्नीस सौ निर्छ भार में आयोजन - निषधुरिग्रेन् की व्यवसायिक परीक्षा में उत्तीण होने पर यह प्रमाण-पत्र प्रदान किया जाता है। Shril Shrifmatil Kunfari Md. ISh Higaque Son Whe Daughter of Shri Md. Fahim uddin having completed the course of Training at Indus frial Training Institute of Dhombal (Bihar) and passed the presoribed trade test in the trade of Electrician Nine Hundred and Nimety Six is awarded this trade Certificate.



प्रशिक्षण अवधि

अधारत 1994 से जिलाई 1996 तक

FROM August 1994 TO July 1996

चरित्र CHARACTER Corre



पटना, तिथि 14 JULY 1995 की वार्षिक / सुरक्ष माध्यमिक परीक्षा में बिहार विद्यालय परीक्षा समिति समाजोपयोगी उत्पादक कार्य तथा सामुदायिक सेवा के आधार पर विद्यालय द्वारा पदन येड S MOHAMMAD SHON UTERI RUL ENGLISH 12 MAX 1980 A MCHAMMAD FAHIMUDDIN ISHTEAQUE Total Talina Urian Ho/95 c 0054196 GANDHIM INTER HIGH SCHOOLS, NAWADAH TONSOLDANA SCHOOLS, 1995 **50** 1 03-035160 प्रमाणित किया जाता है **रोल कोर्ड** 08236 कमाक 0536 के पुत्र/को खुन्ही हैं और जिनकी जन्म- तिथि रहा जिसमें वे उतीर्ण / अभूसीर्भ रहे FIRST श्रेणी में उत्तीर्ण हुए / स्ट्रे। ちょう ş 되 2



कशिल भारत - कुशल भारत





विदेश मंत्रालय / Ministry of External Affairs

प्रवासी कौशल विकास योजना

भारत सरकार / Government of India

प्रतिभागिता प्रमाण-पत्र / CERTIFICATE OF PARTICIPATION



दिनाक/ Date 09/11/2018

उद्देश्य विदेशी रोजगार हेतु जाने वाले भारतीय नागरिकों के कौशल को बढ़ाना है, के अंतर्गत Videsh Bhavan Mumbai प्रवासी कौशल विकास योजना जो विदेश मंत्रालय और कौशल विकास एवं उद्यमिता मंत्रालय की संयुक्त पहल है और जिसका दिनांक 09/11/2018 को एक दिवसीय प्रस्थान पूर्व अभिमुखीकरण प्रशिक्षण में भाग लिया। प्रमाणित किया जाता है कि श्री/श्रीमती/सुश्री MOHAMMAD ISHTEAQUE, Passport No L4956435

and Entrepreneurship aimed at enhancing skill set of Indian nationals proceeding for overseas employment. part of the Pravasi Kaushal Vikas Yojana, a joint initiative of Ministry of External Affairs and Ministry of Skill Development undergone One Day Pre-Departure Orientation Training at Videsh Bhavan Mumbai This is to certify that Shri/Smt/Ms MOHAMMAD ISHTEAQUE, Passport No L4956435 on 09/11/2018 has Se

विदेश मंत्रालय/Ministry of External Affairs Protector of Emigrants, Mumbai JAYAN KUMAR SAO, I.T.S. जयन कुमार साव, भा.दू.स. उत्प्रवासी संरक्षी , मुबइ J.K. SOD

सुरक्षित जाएं, प्रशिक्षित जाएं







ID No.: Q2323 Company: EVH JV Blood: N/A Date: 05/02/2007 MOHAMMAD ISHTEAQUE

بطاقـــة تـــأمــين Insurance Card		شريحة عسمات للترامين (عدم ع Pman Insurance Company (P.S.C.)
	Direct Billing	
California de la calegra	Name : MOHAMMA Card No :	OIG/ME-19466/E/5137462
and the second	Employee No. :	17528
-	Category :	Category 4
1.57	Birth :	12-05-1980
	Issue :	01-05-2013
	Expiry :	30-04-2014
	Ref :	14386





Rules of Proper Glanding


- Use proper tools & PPE
- Select the gland as per drawing
- Follow the manufactures instructions
- Make sure accessories are installed as per requirement
- Confirm tightness level of the middle nut & back nut
- Spare cable connect in spare terminal
- Use proper colour code, core marker & proper lugs
- After work completion clear your work place

IP: Inpatient, OP: Outpatient

Basic Network

Deduction :Dh. 30/- on each Outpatient Consultation Fer

HAAD Approval No. 14386 Main Exclusions:Maternity, Dental & Optical Benefits General Inquiries : Call Center 800 4746 - 8am - 7pm (UAE) Medical Approval Center : 800 6626 (UAE), +97150 4543778 (Abroad)



MOHAMMAD ISHTEAQUE

COLOUR XEROX





Rules of Proper Glanding


- Use proper tools & PPE
- Select the gland as per drawing
- Follow the manufactures instructions
- Make sure accessories are installed as per requirement
- Confirm tightness level of the middle nut & back nut
- Spare cable connect in spare terminal
- Use proper colour code, core marker & proper lugs
- After work completion clear your work place

IP: Inpatient, OP: Outpatient

Basic Network

Deduction :Dh. 30/- on each Outpatient Consultation Fer

HAAD Approval No. 14386 Main Exclusions:Maternity, Dental & Optical Benefits General Inquiries : Call Center 800 4746 - 8am - 7pm (UAE) Medical Approval Center : 800 6626 (UAE), +97150 4543778 (Abroad)



MOHAMMAD ISHTEAQUE

COLOUR XEROX







