



# M.K. VIJAYAKUMAR Manickam

## PERSONAL INFO.

Date of Birth : 07,May,1985

Gender : Male

Marital Status: Married

Nationality : Indian

## CONTACT

✉ MKvijayakumar85@gmail.co

☎ 8056912906. +91  
7708722073. +97431410916

📍 Villupuram disk villupuram  
taluk nannadu post Krishna ji  
Nagar home no 30 near petrol  
pump 605301

## LANGUAGE

- Tamil
- English
- Hindi

## EDUCATION

Apr,2005 - Apr,2008

**D.E.C.E**

Electronic communications engineer

## EXPERIENCE

Jul,2016 - Present

**Electrical senior technician**

Esskay trading and technical service

- GASAI (Function as an shutdown Maintenance)
- NGL PLANT 1,2,3, function as an shutdown maintenance work.
- Qatar gas north plant substation 1,2,3,4 function as an shutdown maintenance work .
- KAHRAMAA SUBSTATION 11 KV, 33 KV, 66 KV, 132 KV, 220 KV ,400 KV ( SIEMENS contractor Maintenance and Modificationwork).
- QAPCO mesaied plant shutdown work .
- HAMAD INTERNATIONAL AIRPORT QATAR.(Function as an Electrical Senior Technician).
- Knowledge in Transformers testing and maintenance.
- Testing and commissioning.
- Knowledge in CT Testing.
- Knowledge in H.T.& L.T. Switchgears Maintenance.
- QATAR GAS NORTH PLANT SUBSTATION 1,2,3,4 function as an shutdown maintenance work .Shutdown and plant electrical maintenance activities.
- KAHRAMAA SUBSTATION SCS panels and telicommiunication fo cables laying and termination work .

Dec,2012 - Mar,2015

**Senior Electrical technician**

Digital energy WLL .Qatar

- Testing support of CT, VT, GIS, VCB, ACB, ATS, Relay's & Transformers.
- Scheme checks in control & relay panel, Switchgear and LCC panels.
- Inter panel wiring checks by reading the schematic diagram.
- Panel wiring modification based on the customer requirement.
- Working in existing live substations and modifications in existing control & relay panel.
- Testing support of Control and interlock checks .
- Assisting testing and commissioning Engineers in all activities including equipment testing, scheme testing, relay testing, commissioning testing.
- Commissioning activities support for the substation.
- Protection modification & retrofitting work.

- Signal simulation checks for &SCS, NCC/DGCC & DCC
- SCS commissioning support.
- Cable glanding and termination.
- Experienced in Handling maintenance and troubleshooting of SOCOMEC and GE make Automatic Transfer Switch (ATS)

Jan,2011 - Dec,2011

**Electrical foreman**

Global mechanical WLL. Qatar

- overall maintenance supervisor.
- substation lighting installation and maintenance .
- UPS and Battery charger maintenance.
- LT and HT motor maintenance.

## **CERTIFICATIONS**

---

Sep,2023

**CREW WORKER**

QAPCO HSE TRAINING

May,2023

**Basic H2S**

Venture gulf safety & security training centre

May,2023

**H2S LIFE SAVING RULES**

Qatar gas safety training

Oct,2023

**SHES TRAINING**

Qatar gas safety training

Ref: EQ/02301/06

Date: 30<sup>th</sup> December 2023

### Experience Certificate


This is to certify that **VIJAYKUMAR MANICAM**, holder of Indian passport #U0739369 has worked with **Esskay Trading and Technical Services Co. W.L.L.** from 16<sup>th</sup> July 2016 till 30<sup>th</sup> December 2023, the date of his employment ended, was designated in Doha, State of Qatar as '**Electrical Technician**' and associated with Electrical Department in the organization.

He has efficiently worked during this period with Esskay, and we found his conduct and work performance was good.

We wish him all the success in his future endeavour.

Sincerely

For **Esskay Trading and Technical Services Co WLL.**



Authorised Signatory



**Esskay Trading And Technical Services Company WLL**

BARWA COMMERCIAL AVENUE, SAFWA BLOCK, BUILDING NO. 28, 2ND FLOOR, P.O. BOX-586, DOHA, QATAR

TEL : +974 4005 5515 FAX : +974 4005 9919



ACCESS PASS  
SECURITY

تصريح دخول  
الأمن

[181785]

رقم التصريح  
Pass No.

21/12/2022

تاريخ الإصدار  
Date of issue



VIJAYAKUMAR MANICKAM		الاسم Full Name
Indian		الجنسية Nationality
U0739369		رقم الجواز / البطاقة QID/ Passport No.
TECHNICIAN		الوظيفة Position
LARSEN & TOUBRO LIMITED		الشركة Company
31410916		رقم الموبايل Mobile No.
All Kahramaa substations		الاماكن المصرح بدخولها Location
To: 20/12/2023	From: 21/12/2022	صلاحية التصريح Validity
		السيارات والمعدات المصرح بدخولها Vehicles / Equipment

ختم وتوقيع الأمن

Security Approval & Stamp

RN:89275

\* في حالة عدم وجود صورة شخصية على التصريح، يجب إبراز هوية حامل التصريح وذلك للتصديق من قبل رجال الأمن.



تصريح دخول

**ACCESS PASS**

الأمن

**SECURITY**



رقم التصريح [161634]

تاريخ الاصدار 07/10/2021

VIJAYAKUMAR	فيحاكومار مانيكام	الاسم
	هندي	الجنسية
	U0739369	رقم الجواز / البطاقة
	فني	الوظيفة
	سيمنس للطاقة ذ.م.م	الشركة
	كافة المحطات الكهربائية الفرعية	الأماكن المصرح بدخولها
05/10/2022 : إلى	من : 05/10/2021	صلاحية التصريح
		السيارات والمعدات
		المصرح بدخولها

+974 31410916  
SIEMENS

جاي

ختم وتوقيع الأمن

تصريح دخول

**ACCESS PASS**

الأمن

**SECURITY**

رقم التصريح [149119]  
تاريخ الاصدار 01/12/2020



VIJAYAKUMAR	فيحاكومار مانيكام	الاسم
	هندي	الجنسية
	U0739369	رقم الجواز / البطاقة
	فني كهربائي	الوظيفة
	سيمنس ذ.م.م	الشركة
	كافة المحطات الكهربائية الفرعية	الأماكن المصرح بدخولها
30/05/2021 : إلى	30/11/2020 : من	صلاحية التصريح
		السيارات والمعدات
		المصرح بدخولها

ختم وتوقيع الأمن  
Security Approval & Stamp

RN: 66295





**QATAR GAS**

## SAFETY TRAINING CARD

### CONTRACTOR



Name : Vijayakumar M

QG Training ID : 4180099443

Company : Siemens Energy

Designation : Engineer

Dept./ Project : Long Term/ Maintenance



**H<sub>2</sub>S**  
(Hydrogen Sulfide)  
Life Saving Rules



**LSR**  
(110 Life Saving Rules)  
Life Saving Rules

Emergency No.: 4473 7777 (Qatargas); 135 (RLIC)

QG Safety Training Card - Rev. 3.0

#	Course	Expiry	#	Course	Expiry
M	H <sub>2</sub> S Effects	08-Sep-25	N	Def. Driving	
M	PSI	08-Sep-25	N	Fire Fighting	
M	LSR	08-Sep-25	N	Fire Watch	
M	Heat Stress	31-Dec-23	N	First Aid	
M	Inc. Report		N	Fit Test (Half)	
N	BA		N	Fit Test (Full)	
M	H <sub>2</sub> S		N	Haz. Mat.	
N	Doha Tower		N	Mat. Hand.	
N	Port Sec.		N	Sea Survival	
N	Gas Watch		N	Banksman	
N	Shutdown Induction (04 2023 GD)				15-Dec-23
M	CSE (North)		N	S@Heights	
N	H/W (North)		M	JSA (North)	
N	AGT (North)		M	PTW-Rec.	
N	PTW-Iss.			Compliance (North): 28%	
M	CSE 1(South)		N	S/W (South)	
N	CSE 2(South)		M	W@Heights	
N	AGT (South)			Compliance (South): 40%	
N	Work Mgmt. System				
Electrical (North) - None up to:					
Electrical (South) 415 V 5.6 KV					
AEP 33 KV 132 KV					

M= Mandatory; N=Not Mandatory

QG Training ID: 4180099443



## SAFETY TRAINING CARD

### CONTRACTOR



Name : Vijayakumar M

QG Training ID : 4180099443

Company : Siemens Energy

Designation : Visitor

Dept./ Project : Long Term/ Maintenance



**H<sub>2</sub>S**  
Oxygenation  
Sulphidation  
H<sub>2</sub>S + Escape  
Hood



**LSR**  
(10 Life Saving  
Rules)  
Life Saving  
Rules

Emergency No.: 4473 7777 (Qatar Gas); 135 (RLIC)

#	Course	Expiry	#	Course	Expiry
M	H <sub>2</sub> S Effects	08-Sep-25	N	Def. Driving	
M	PSI	08-Sep-25	N	Fire Fighting	
M	LSR	08-Sep-25	N	Fire Watch	
M	Heat Stress	31-Dec-23	N	First Aid	
N	Inc. Report		N	Fit Test (H-Alt)	
N	BA		N	Fit Test (Full)	
N	HIF	08-Sep-25	N	Haz. Mat.	
N	Doha Tower		N	Mat. Hand.	
N	Port Sec.		N	Sea Survival	
N	Gas Watch		N	Banksman	
N	Shutdown Induction (I)				
N	CSE (North)		N	S@Heights	
N	H/W (North)		N	JSA (North)	
N	AGT (North)		N	PTW-Rec.	
N	PTW-hs.		Compliance (North): 100%		
N	CSE 1(South)		N	S/W (South)	
N	CSE 2(South)		N	W@Heights	
N	AGT (South)		Compliance (South): 100%		
N	Work Mgmt. System				
Electrical Safety: N/A					
Electrical (South)		415 V	6.6 KV		
AEP		33 KV	132 KV		

M= Mandatory; N=Not Mandatory



## CONTRACTOR SECURITY PASS



Validity: **16/12/2016** : الصلاحية  
ID No: **28535662682** : البطاقة الشخصية  
Nationality: **INDIAN** : جنسية  
Staff No: **ESS03** : رقم الموظف  
Name: **VIJAYAKUMAR MANICKAM**

الاسم: فيجايكومار مانيكام

## CONTRACTOR SECURITY PASS



Validity: **07/05/2017** : الصلاحية  
ID No: **28535662682** : البطاقة الشخصية  
Nationality: **INDIAN** : جنسية  
Staff No: : رقم الموظف  
Name: **VIJAYAKUMAR MANICKAM**

الاسم: فيجايكومار مانيكام

## CONTRACTOR SECURITY PASS



Validity: **31/12/2019** : الصلاحية  
ID No: **28535662682** : البطاقة الشخصية  
Nationality: **INDIAN** : جنسية  
Staff No: : رقم الموظف  
Name: **VIJAYAKUMAR MANICKAM**

الاسم: فيجايكومار مانيكام

## CONTRACTOR SECURITY PASS



Validity: **15/12/2021** : الصلاحية  
QID / Visa No: **28535662682** : البطاقة الشخصية / تأشيرة  
Nationality: **INDIAN** : جنسية  
Staff No: : رقم الموظف  
Name: **VIJAYAKUMAR MANICKAM**

الاسم: فيجايكومار مانيكام

## CONTRACTOR SECURITY PASS



Validity: **12/07/2022** : الصلاحية  
QID / Visa No: **28535662682** : البطاقة الشخصية / تأشيرة  
Nationality: **INDIAN** : جنسية  
Staff No: : رقم الموظف  
Name: **VIJAYAKUMAR MANICKAM**

الاسم: فيجايكومار مانيكام

THIS CARD MUST BE VISIBLY DISPLAYED AT ALL TIMES WHILE INSIDE NEW PORT PROJECT PREMISES



MANICKAM VIJAYAKUMAR  
Electrical Technician  
NPPQ-KAHRAMAA-5167



## CONTRACTOR HSE TRAINING CARD

CW47596

**VIJAYAKUMAR MANICKAM**

CREW WORKER



QID NUMBER: **28535662682** COMPANY: **Siemens Energy** VALIDITY: **10/05/2024**

Additional Qualification/s



Mesaieed Site  
Safety Induction

Name: **Vijaykumar Manickam**

Company: **ESSKAY**

Nationality: **Indian**

Valid from: **2/5/17** to: **1/5/18**

Qatar ID: **28535662682**

Card No: **C17-181**


قطر ستيل  
QATAR STEEL



الإدارة العامة للأمن العام  
إدارة أمن المطار



فيجاكومار مانيكام  
VIJAYAKUMAR MANICKAM  
فني



تصريح محدد

2022/01/18

CRG  
TR  
CUSTOMS  
CRG-M  
MIDFLD  
TD

منطقة الشحن  
الترانزيت  
صالة الجمارك  
المعينة  
المنطقة الوسطى  
مكاتب السفريات

DIA  
VIP  
AA

مطار الدوحة الدولي  
الصالات التشريعية  
ساحة الطائرات

In case of loss or damage inform Airport  
Security on 2351333 40109666 or P.O.Box.  
24844. Not allowed to enter the other places  
and to be used by others. To be shown when  
entering places which allowed to enter

عند فقدان أو التلف يتم إبلاغ إدارة أمن المطار  
على 2351333 - 40109666 أو ص ب 24844 . لا  
يخول التصريح حمله دخول المناطق غير الموضحة و لا  
يستخدم من قبل الغير. يجب إظهار التصريح عند دخول  
الأماكن المصرح بدخولها


898521

لنك لخدمات المرافق



\* 2 8 5 3 5 6 6 2 6 8 2 \*

مدير إدارة أمن المطار

1328490





**VENTURE GULF SAFETY & SECURITY TRAINING CENTRE**

[www.vgtcq.com](http://www.vgtcq.com) [admin@vgetc.com](mailto:admin@vgetc.com)



This is to certify that

**M. VIJAYAKUMAR MANICKAM**

was successfully assessed against and  
met learning outcomes for

**BASIC H2S OPITO APPROVED**



Date Of Issue:

17.May.2023

Expiry Date:

16.May.2025

Course Code:

9014

Duration:

4 Hrs

Cert. No: 5146901417052363555

Company: SIEMENS ENERGY WLL



MESAIEED OPERATIONS

**HSE INDUCTION**


NAME **M. VIJAYAKUMAR MANICKAM**

STAFF No.:

COMPANY: **SIEMENS**

EXPIRY DATE/ CONTRACT No. : **GTC/735C/2015**

# Certificate



مطار حمد الدولي  
Hamad International Airport  
قطر QATAR

This is to certify that


**VIJAYAKUMAR MANICKAM**


has completed the


**HIA-Airside Safety Awareness Training Course**

online on 06 February 2021

This certificate is valid for one year from completion of the training.



  
Ioannis Metsovitis  
Senior Vice President Operations

  
Eng. Badr Mohammed Al Meer  
Chief Operating Officer





مؤسسة الرعاية الصحية الأولية  
PRIMARY HEALTH CARE CORPORATION



مؤسسة حمد الطبية  
Hamad Medical Corporation  
صحة • تعليم • بحوث  
HEALTH • EDUCATION • RESEARCH



## شهادة تطعيم ضد فيروس كورونا كوفيد -19 COVID-19 Vaccination Certificate

Name: VIJAYAKUMAR MANICKAM الإسم:  
Date of Birth (DD-MM-YYYY): 07-05-1985 تاريخ الميلاد (DD-MM-YYYY):

تلقي المذكور أعلاه جرعات اللقاح التالية ل: المرض المستهدف - كوفيد -19

The above mentioned has received the following vaccine doses for: Disease Targeted - Covid-19

الجرعة Dose	محتوى اللقاح Vaccine	اسم اللقاح Vaccine Product	الشركة المصنعة Manufacturer	رقم الحزمة Lot #	تاريخ اللقاح Date of Vaccination (DD-MM-YYYY)	بلد التطعيم: Country of Vaccination
1 of 2	SARS CoV-2 mRNA Vaccine	Pfizer BioNTech / Comirnaty	BioNTech Manufacturing GmbH	FF7416	17-08-2021	Qatar
2 of 2	SARS CoV-2 mRNA Vaccine	Pfizer BioNTech / Comirnaty	BioNTech Manufacturing GmbH	FG2943	14-09-2021	Qatar
3	SARS CoV-2 mRNA Vaccine	Spikevax	Moderna Biotech Spain S.L.	000068A	17-03-2022	Qatar

**Dr. Hamad Eid Al-Romaihi**

Manager of Health Protection and Communicable  
Diseases

Public Health Department  
P.O. Box – 42, Doha – Qatar

**الدكتور حمد عيد الرومحي**

مدير حماية الصحة ومكافحة الأمراض  
الانتقالية

إدارة الصحة العامة  
ص.ب. ٤٢ - الدوحة، قطر



حماية الصحة ومكافحة الأمراض الانتقالية  
Health Protection & Communicable Diseases  
001

*(Handwritten signature)*

هذه الشهادة هي وثيقة رسمية موقعة رقميًا وصادرة عن وزارة الصحة العامة - الدوحة، قطر.  
This certificate is an official document that is digitally signed and issued by the  
Ministry of Public Health, Doha, Qatar.



Register No

2645611



Certificate No

DCN 070903

**STATE BOARD OF TECHNICAL EDUCATION AND TRAINING**

**DEPARTMENT OF TECHNICAL EDUCATION**

**CHENNAI - 600 025,**

**TAMIL NADU**

**This Diploma**

**in**

**ELECTRONICS AND COMMUNICATION ENGINEERING**

**is awarded to**

**VIJAYA KUMAR M**



**who has completed the prescribed course of study**

**in the above discipline and passed in**

**FIRST CLASS**

**in the examinations held in**

**APRIL 2008**

**Chairman  
Board of Examinations  
Tamil Nadu**



**Minister for Education and Chairman  
State Board of Technical Education  
and Training, Tamil Nadu**







विभिन्न सेवा / MISCELLANEOUS SERVICE

पिता / कानूनी अभिभावक का नाम / Name of Father / Legal Guardian  
MANICKAM



U0739369

माता का नाम / Name of Mother  
KASIYAMMAL

पति या पत्नी का नाम / Name of Spouse

पता / Address  
PAITHAMPADI COLONY, PAITHAMPADI  
PANRUTI, CUDDALORE

PIN: 607101, TAMIL NADU, INDIA

पुराने पासपोर्ट का नं. और इसके जारी होने की तिथि एवं स्थान / Old Passport No. with Date and Place of Issue  
H8241121 29/01/2010 CHENNAI

फाइल नं. / File No.  
QT0074160444919